Cumulative Index 1988

Volume 6

February	OPHTHALMOLOGIC EMERGENCIES AND OCULAR TRAUMA, pages 1–171
May	SELECTED TOPICS IN EMERGENCY CARDIOLOGY, pages 173–377
August	GENITOURINARY EMERGENCIES, pages 379–637
November	AIRWAY MANAGEMENT AND ANESTHESIA IN THE EMERGENCY DEPARTMENT, pages 639–825

Note: Page numbers of article titles are in **boldface** type.

Abrasions, corneal, 81
Abscess, prostatic, 395
Acids, and corneal injuries, 83
Adenoviral infections, 49–50, 103
Adie's tonic pupil, 10
Adnexa, in ocular examination, 113–114
Adolescents, acute scrotum, 541–542
Aging, and radiologic contrast-induced renal failure, 605
Airway management, **671–686**
  anatomy, **639–669**
    in children, 668
    larynx, 659–667
    mouth, 646–652
    nose, 639–646
    pharynx, 652–659
    trachea, 667
  anesthesia, local agents, **769–776**
    clinical use, 775–776
    history, 769–770
    neuropharmacology of blockage, 772–773
    pharmacology, 770–772
    toxicity, 773–775
  cricothyroidotomy, **725–736**
    anatomy and procedure, 727–729
    complications, 733–734
    contraindications, 733
    equipment, 727–728
    indications, 726–727
    technique, 729–733
  esophageal obturator airway, **693–698**
    airway devices, 693–694
  foreign body aspiration, 684–685
  intracranial pressure, elevated, 681–682
  nasotracheal intubation, **715–723**
    assessment, 716–717
    contraindications, 715
    indications, 715–716
    technique, 717–721
  nitrous oxide analgesia, **777–782**
    clinical use and results, 779–780
    continuing concerns, 780–781
    history, 778
    pharmacology, 778–779
  options, 672–678
  orotracheal intubation, **699–713**
    airway assessment, 701–702
    cervical spine and neck evaluation, 702–704
    mouth evaluation, 704–705
    technique, 705–711
  pediatric, **687–692**
    airway anatomy, 687–688
    airway management, 689–690
    foreign body obstruction, 691
    intubation, 683–684
    muscle relaxants, 691–692
    nasotracheal intubation, 690–691
    normal vital signs, 688

Airway management *(Continued)*
pharmacologic aids to intubation, **753–768**
drugs, 754
local anesthesia of airway, 754
new relaxants, 763–765
nondepolarizing relaxants, 761–763
preoxygenation, 753–754
sensory innervation, 754–760
tracheostomy, **737–744**
anatomy, 739
complications, 742–743
indications, 737–739
technique, 740–742
trauma, anterior neck, 682–683
blunt, 678–681
ventilation, percutaneous transtracheal, **745–752**
apparatus, 747–748
complications and shortcomings, 750–751
indications, 748–750
Alkalies, and corneal injuries, 83
Alkalosis, in defibrillation, 230
Allergies, ocular, 51–54
allergic rhinoconjunctivitis, 52
contact allergy, 53–54
giant papillary conjunctivitis, 53
vernal conjunctivitis, 52–53
Amino acid metabolism, and ocular disorders, 99
Amiodarone, 304–305
Amputation of penis, 596
Amyloidosis, and ocular disorders, 100
Analgesia, and corneal injuries, 92
Anatomy, in cricothyroidotomy, 727, 728–729
and normal micturition, 419–420
of scrotum, 529
and sexual child abuse, 456–458
in tracheostomy, 739
of upper airway, **639–669**
larynx, 659–667
mouth, 646–652
nose, 639–646
pediatric airway, 668, 687–688
pharynx, 652–659
trachea, 667
Anesthesia, local agents, **769–776**
clinical use, 775–776
history, 769–770
neuropharmacology of blockage, 772–773
pharmacology, 770–772
additives, 772
biotransformation and elimination, 771–772
dosage, 772
duration of anesthesia, 770–771
potency, 770
regional agents, **739–810**
speed of onset, 771
toxicity, 773–775
Aneurysm, internal carotid, acutely painful eye, 38
Angina, unstable, percutaneous transluminal coronary angioplasty, 343–344
Angiography, digital subtraction, 258
in radiologic contrast-induced renal failure, 603
of urinary tract, 563–564
Angioplasty, percutaneous transluminal coronary. See *Myocardial salvage.*
Anhydrosis of lids, 96
Anisocoria, 8–11
Adie's tonic pupil, 10
Horner's syndrome, 9
pharmacologic blockade, 10
simple, 9–10
third nerve palsy, 10–11
Anorectal injuries, 446–450
mucosal lacerations, 449
perforations, 449–450
Anterior chamber, in ocular examination, 116
Antiarrhythmic drugs, **289–315**
class IA agents, 291–295
disopyramide, 294
pirmenol, 294–295
procainamide, 293
quinidine, 291–292
class IB agents, 295–298
lidocaine, 295–296
mexiletine, 297–298
phenytoin, 296
tocainide, 296–297
class IC agents, 298–300
encainide, 299–300
flecainide, 298–299
lorcainide, 300
class II agents, 300–302
esmolol, 301–302
nadolol and other beta-blockers, 301
propranolol, 300–301
class III agents, 302–307
amiodarone, 304–305
bretylium, 302–304
sotalol, 305–306
classification, 289–291
digitalis, 309
magnesium, 308–309
proarrhythmic effects, 271
verapamil class IV agents, 307–308
Anti-inflammatory agents, 368–369
Antimicrobial agents, for urinary tract infections, 413–414
Apresoline, 187–188
Arrhythmias, **267–288**
and antiarrhythmic drugs, 271
atrial fibrillation, 274–276
atrial flutter, 272–274
bradyarrhythmias, 270–271
classification of, 267–268
multifocal atrial tachycardia, 271–272

preexcitation syndrome, 283–284
premature ventricular contractions (PVCs), 279–280
tachyarrhythmias, 268–270
tachycardia, ectopic (nonparoxysmal) supraventricular, 279
reentrant supraventricular, 276–278
ventricular, 280–281
wide QRS complex, 282–283
torsades de pointes, 281–282
See also *Antiarrhythmic drugs.*
Arterial blood gases, 255–256
Arteries, central retinal, occlusion of, acute visual loss, 57–59, 106
Arteriography, pulmonary, 258
Asystole, countershock of, 232–233
Atracurium besylate, 762–763
Atrial fibrillation, 274–276
Atrial flutter, 272–274
Automatic defibrillators, external, 224–227, 234
implantable, 227–228

Bacterial conjunctivitis. See *Conjunctivitis.*
Bacteriuria, asymptomatic, in elderly, **467–472**
clinical picture, 469
epidemiology, 467
etiology, 467–468
laboratory diagnosis, 469
morbidity and mortality, 470
pathogenesis, 468–469
treatment, 470–471
Balanitis, 474
Beta-blockers, 301
for myocardial salvage, 362–364
acute treatment, 363
long-term treatment, 363–364
Bladder, anatomy, and micturition, 419–420
drainage, for urinary retention, 431–433, 589–590
neck contracture, 423
percutaneous catheterization, 571–572
prehospital emergencies, 381–385
suprapubic aspiration, 572–573
trauma management, 588–593
Blepharitis, 54–55
Blood diseases, eye complications, 103–105
dysproteinemias and paraproteinemias, 105
malignancies, 104–105
thrombocytopenia, 104
Botulism, and ocular disorders, 102
Bradyarrhythmias, 270–271
Bretylium, 302–304
Brucellosis, and ocular disorders, 102
Bumetanide (Burinex), 189–190
Burinex, 189–190
Burns, thermal or electrical, 595

Calcium channel blocking agents, 366–367
Calcium stones, 618–619
Captopril (Capoten), 189
Carbohydrate metabolism, and ocular disorders, 100
Carbon dioxide, end-tidal, 246–248
in cardiopulmonary resuscitation, 247–248
esophageal intubation, 246–247
transcutaneous monitoring, 243–244
Carcinoma, and urinary retention, 423
Cardiogenic shock, 344
Cardiology, emergency, antiarrhythmic drugs, **289–315**
arrhythmias, **267–288**
chest discomfort and myocardial ischemia/infarction, **317–340**
defibrillation, **217–240**
hypertension, 178, **173–196**
myocardial salvage, angioplasty and coronary artery bypass, **341–350**
pharmacologic treatment, **361–372**
thrombolytic therapy, **351–359**
noninvasive technologies, **241–252**
and ocular disorders, 105–106
pacemakers, **197–215**
pulmonary embolism, **253–266**
Cardiovascular response, to orotracheal intubation, 710–711
pharmacologic aids to intubation, 756–757
Cardioverters, automatic implantable, 227–228
Catapres, 187
Catecholamines, in defibrillation, 230
in hypertensive emergencies, 179
Catheterization, bladder, percutaneous technique, 571–572
Foley, for urinary retention, 432
urethral, 567–571
urinary tract infections, 408–409
Cavernous sinus syndromes, 16–17
thrombosis, acutely painful eye, 33–34
Cellulitis, orbital, acutely painful eye, 31–33
postseptal and preseptal, 12–13
Central nervous system, and hypertensive emergencies, 177–178
Cervical spine, in orotracheal intubation, 702–704
Chancroid, 503–504
Chemical injuries to cornea, 82–86
acids, 83
alkalies, 83
solvents, detergents, irritants, and glues, 83–84
treatment of, 84–86
Chemosis, 115
Chest discomfort and myocardial ischemia, **317–340**
decision making in Emergency Department, 330–334
followup of released patients, 334–335

Chest discomfort and myocardial ischemia *(Continued)*
historical and physical evaluation, 320–324
Chest Pain Study Group Data, 321
description of chest discomfort, 321–323
risk factors, 320–321
laboratory tests, 324–330
cardiac enzymes, 328–330
echocardiogram, 327–328
electrocardiogram, 324–327
mechanism of, 317–320
Chest radiography, 256
Chiasmal disease, neuro-opthalmologic visual loss, 7
Children, airway management, 689–690
anatomy, 668, 687–688
foreign body obstruction, 691
muscle relaxants, 691–692
nasotracheal intubation, 690–691
normal vital signs, 688
intubation, 683–684
scrotum, acute, 541–542
sexual abuse, 456–462
anatomy and technique, 456–458
boy victims, 462
injury patterns, 459–461
patterns of abuse, 459
psychological aspects, 458–459
Chlamydial infections, 48–49
Cholecystography, 604
Clonidine (Catapres), 187
Cluster headache, 12
acutely painful eye, 39
Coagulation disorders, 253–254
Collagen vascular disorders, and ocular disorders, 96–99
Computed tomography, in hypertensive emergencies, 175
Condyloma acuminatum, 502–503
Conjugate gaze palsy, 18
Conjunctiva, in ocular examination, 114–115
oxygen monitors, 244–245
Conjunctivitis, 43–44
bacterial, 45–47
infectious, 46–47
mucopurulent, 45–46
purulent, 47
giant papillary, 53
history and examination, 44
laboratory tests, 44
vernal, 52–53
viral, 49–51
acute hemorrhagic, 51
adenoviral infections, 49–50
herpes simplex infections, 50–51
herpes zoster, 51
Connective tissue disorders, eye complications, 99–100
Contact allergy, 53–54
Contact lens injuries, 86–89
foreign body injury, 89
lens removal, 87
overwear syndrome, 87–89
solution sensitivity, 89
Contrast agents, in radiologic contrast-induced renal failure, 602, 606
Corneal injuries, **73–94**
abrasions, 81
anatomy and physiology, 73–75
chemical injuries, 82–86
contact lens injuries, 86–89
examination, 77–81
history, 75–77
lacerations, 81–82
in ocular examination, 115–116
thermal injuries, 90–91
treatment, 91–94
analgesia, 92
cautions, 92–94
followup, 94
medications, 91–92
patching, 92
ultraviolet keratitis, 90
Coronary artery bypass, 346–347
for acute myocardial infarction, 346
thrombolysis after, 346–347
Cough cardioversion, 231–232
Counseling, for nephrolithiasis, 629
Cranial nerve palsy, 17–18
Cricothyroidotomy, **725–736**
anatomy and procedures, 727–729
complications, 733–734
contraindications, 733
equipment, 727–728
indications, 726–727
instruments, 734–735
technique, 729–733
Cricothyrostomy, in children, 691
Crystals, intratubular obstruction, 609
Cunnilingus syndrome, 440
Cystine stones, 619–620
Cystinosis, and ocular disorders, 100
Cystourethrography, 558–560
Cytomegalic inclusion disease, 103

Dacryoadenitis, acute, 34–35
Dacryocystitis, 34–35
Defibrillation, **217–240**
automatic external, 224–227
automatic implantable cardioverter, 227–228
clinical use of, 228–235
asystole and fine VF, 232–233
automatic external defibrillators, 234
common errors, 228–229
cough cardioversion, 231–232

precordial thump, 231–232
prehospital use, 233–234
by family members of high-risk patients, 234–235
by nonprofessionals in community, 234
physiology of, 218–224
countershock effectiveness, 221–223
electricity principles, 220–221
electrocardiography, 219
energy, 223–224
mechanical aspects, 219–220
ventricular fibrillation, 218–219
waveforms, 223
reductionist viewpoint, 217–218
refibrillation and refractory ventricular fibrillation, 229–231
alkalosis, 230
catecholamine stimulation, 230
hypokalemia, 230
hypomagnesemia, 230
hypothermia, 231
parasympathetic stimulation, 230
pharmacologic defibrillation, 230–231
respiratory acidosis, 229–230
Depolarizing agents, and intubation, 759–760
Dermatitis herpetiformis, 96
Dermatomyositis, eye complications, 98
Detergents, corneal injuries, 83–84
Diabetes mellitus, eye complications, 100, 108–109
and radiologic contrast-induced renal failure, 605
and urinary retention, 426
Diazoxide (Hyperstat), 184
Digitalis, 309
Disopyramide, 294
Diuresis, postobstructive, 434
Doppler ultrasound, of acute scrotum, 534–535
Dorsal-slit procedure, 573–576
meatotomy, 575
paraphimosis, 574
phimosis, 573–574
Dosage of local anesthetics, 772
Dysproteinemias, 105

Echocardiogram, for chest discomfort and myocardial ischemia, 327–328
Eczema, and ocular disorders, 96
Edema, idiopathic scrotal, 537–538
of lid, 95
Ehlers-Danlos syndrome, 100
Elderly. See *Bacteriuria, asymptomatic.*
Electricity principles, 220–221
Electrocardiography, for chest discomfort and myocardial ischemia, 324–327
and pulmonary embolism, 256
ventricular fibrillation, 219
Electrode gels, 221–222
Embolectomy, surgical, 259
Emergency medical technicians, and defibrillation, 233–234
Encainide, 299–300
Encephalopathy, hypertensive, 176–177
Endocrine diseases, eye complications, 106–109
Energy of defibrillation, 223–224
Enzymes, cardiac, 328–330
Epididymitis, 522–527
clinical course, 527
clinical presentation, 524–525
laboratory studies, 525
pathology, 522–524
treatment, 525–527
Episcleritis, 36
Equipment, for cricothyroidotomy, 727–728
for nasotracheal intubation, 717
for orotracheal intubation, 705
for percutaneous transtracheal ventilation, 747–748
Ergot derivatives, and acute visual loss, 69
Erythema multiforme, eye complications, 99
Erythema nodosum, 96
Esmolol, 301–302
Esophageal obturator airway, **693–698**
airway devices, 693–694
External genital diseases, emergency evaluation, **473–486**
paraphimosis, 474
penile disease, 473–474
fracture, 476–477
skin changes, 474–475
Peyronie's disease, 475
phimosis/balanitis, 474
postoperative problems, 477
scrotal diseases, 477–485
acute pain, 483, 485
cord contents, 481
gangrene (Fournier's), 478–480
hydrocele, 481
paratesticular masses, 482
soft tissue, 478
spermatocoele, 482
testicular torsion, 483–484
testicular trauma, 485
torted testicular appendage, 485
trauma, 475–476, 481
Extraocular movement disorders, 17–18
conjugate gaze palsy, 18
cranial nerve palsy, 17–18
Eye, corneal injuries, **73–94**
ocular examination, **111–120**
painful, **21–42**
aneurysm, internal carotid, 38
cavernous sinus thrombosis, 33–34
cluster headache, 39
episcleritis, 36
herpes zoster, 40
Horner's syndrome, 39

Eye *(Continued)*
painful, iritis, 28–30
lacrimal apparatus, 34–35
migraine headache, 39–40
narrow-angle glaucoma, acute, 25–28
optic neuritis, 38–39
orbital cellulitis, 31–33
scleritis, 36–38
temporal arteritis, 30–31
trigeminal neuralgia, 40
red, **43–56**
bacterial conjunctivitis, 45–47
blepharitis, 54–55
chlamydial infections, 48–49
conjunctivitis, 43–44
ocular allergy, 51–54
opthalmia neonatorum, 48
viral conjunctivitis, 49–51
and systemic disease, **95–109**
blood and cardiovascular diseases, 103–106
collagen vascular diseases, 96–99
connective tissue disorders, 99–101
endocrine diseases, 106–109
granulomatous diseases, 99
inborn errors of metabolism, 99–100
infectious disease, 101–103
skin diseases proximal to eye, 95–96
skin disorders, 96
toxic and deficiency disorders, 101
visual loss, acute, **57–72**

Family members of high-risk patients, defibrillation by, 234–235
Fat necrosis, scrotal, 538
Fellatio syndrome, 440
Females, obstructive lesions, and urinary retention, 424
urinary tract infections. See *Urinary tract infection, female.*
Fistula, carotid-cavernous sinus, 16–17
Flecainide, 298–299
Foreign body, aspiration of, 684–685
in children, 691
Foreskin, zipper entrapment, 595
Fournier's gangrene. See *Gangrene.*
Fracture, pelvic, 585
of penis, 476–477, 595–596
Free radical scavengers, 369
Fungal infections, 103
Furosemide (Lasix), 189–190

Gangrene (Fournier's), of scrotum, 478–480, 539–540, 595
Genitalia, prehospital emergencies, 385–388
Genitoperineal trauma, 593–596
Genitourinary emergencies, bacteriuria, asymptomatic, in elderly, **467–472**
clinical picture, 469
epidemiology, 467
etiology, 467–468
laboratory diagnosis, 469
morbidity and mortality, 470
pathogenesis, 468–469
treatment, 470–471
external genital diseases, **473–486**
penile disease, 473–477
scrotal diseases, 477–485
nephrolithiasis, **617–630**
complications, 626–629
diagnosis, 620–624
pathogenesis, 617–620
presentation, 620
treatment, 624–626
prehospital, **379–389**
case presentation, 379
genitalia, 385–388
pelvic trauma, 381
renal calculi (kidney stones), 380
urethra and bladder, nontraumatic conditions, 383–385
trauma to, 381–383
priapism, **509–520**
complications and prognosis, 518–519
etiology, 512–514
evaluation, 514–515
physiology and pathophysiology, 509–512
treatment, 516–518
prostatitis, **391–402**
acute, 393–395
chronic, 395–400
description, 391–392
etiology, 392
laboratory examination, 392–393
prostatic abscess, 395
prostatodynia, 399–400
seminal vesiculitis, 400
radiologic contrast-induced renal failure, **601–616**
contrast agents and implicated procedures, 602–604
incidence, 601–602
management, 610–613
pathogenesis and pathophysiology, 607–610
risk factors, 604–607
scrotum, acute, **521–546**
diagnostic approach, 540–543
epididymitis, 522–527
miscellaneous causes of, 537–540
orchitis, 528
spermatic cord torsion, 529–536
torsion of testicular appendages, 536–537
sexually related trauma, **439–466**

adult rape injuries, 450–456
anorectal injuries, 446–450
orogenital sex injuries, 439–442
other sexually related injuries, 450
penile sexual injuries, 442–444
sexual child abuse, 456–462
vaginal injuries, 444–446
trauma management, **579–600**
genitoperineal, 593–596
lower urinary tract, 585–593
upper urinary tract, 580–585
urinary retention, acute, **419–437**
assessment and recognition, 429–431
complications, 433–434
disposition, 434–435
etiology, 422–424
management, 431–433
micturition, normal, 419–421
neurogenic, 425–427
pathophysiology, 421–422
pharmacologic, 427–428
psychogenic, 428–429
urinary tract infections, female, **403–417**
classification, 405–407
complications, 407
compromised hosts, 407–409
etiology, 404–405
evaluation, 409–412
future trends, 414
pathogenesis, 404
treatment, 412–414
urogenital diseases, sexually transmitted, **487–508**
chancroid, 503–504
condyloma acuminatum, 502–503
genital herpes, 494–497
lymphogranuloma venereum, 505–506
syphilis, 497–502
urethritis, 487–494
urology, diagnostic and therapeutic procedures, **547–578**
dorsal-slit procedure, 573–576
percutaneous bladder catheterization, 571–572
radiologic procedures, 553–567
suprapubic bladder aspiration, 572–573
urethral catheterization, 567–571
urinalysis, 547–553
Giant papillary conjunctivitis, 53
Glaucoma, acute narrow-angle, acutely painful eye, 25–28
Glues, corneal injuries, 83–84
Gout, and ocular disorders, 100
Granulomatous diseases, eye complications, 99

Headache. See *Migraine headache*.
Hemodynamics, renal, in radiologic contrast-induced renal failure, 607–608
Hemorrhage, intra-abdominal, and acute scrotum, 539
lower urinary tract trauma, 587–588
maculopathy, 66–67
subconjunctival, 55
in urinary retention, 433
vitreous, acute visual loss, 63–64
Hemorrhagic conjunctivitis, 51
Henoch-Schönlein purpura, 539
Heparin, for pulmonary embolism, 259
Hereditary connective tissue diseases, eye complications, 99–100
Hernia, scrotal, 538
Herpes simplex infections, red eye, 50–51
Herpes virus infections, 103
and urinary retention, 426–427
Herpes zoster, acutely painful eye, 40
eye infections, 51
Herpes, genital, 494–497
clinical features, 495
diagnosis, 495–496
epidemiology, 494–495
treatment, 496–497
Horner's syndrome, acutely painful eye, 39
neuro-opthalmologic visual loss, 9
Hurler's disease, and ocular disorders, 100
Hyaluronidase, 367–368
Hydralazine (Apresoline), 187–188
Hydrocele, 481
Hyperemia, and ocular disorders, 95
Hyperreflexia, autonomic, 383, 434
Hyperstat, 184
Hypertension, **173–196**
emergencies, 173–174, 176–183
adjuvant agents, 189–190
bumetanide (Burinex), 189–190
furosemide (Lasix), 189–190
propranolol (Inderal), 190
cardiovascular, 178
catecholamine-induced, 179
in CNS disorders, 177–178
complications of therapy, 190–191
encephalopathy, 176–177
medication options, 180–183, 185–189
captopril (Capoten), 189
clonidine (Catapres), 187
diazoxide (Hyperstat), 184
hydralazine (Apresoline), 187–188
labetalol (Normodyne, Trandate), 181–183
minoxidil (Loniten), 188
nifedipine (Procardia), 185–186
nitroglycerin, intravenous, 183
phentolamine (Regitine), 185)
prazosin (Minipress), 188–189
secondary agents, 183–185
sodium nitroprusside (Nipride), 180–181
trimethaphan camsylate (Arfonad), 184–185
pregnancy-induced, 179–180

Hypertension *(Continued)*
emergencies, renal complications, 178–179
emergency approach, 174–175
history, 174–175
laboratory tests, 175
physical examination, 175
and ocular changes, 105
syndromes, 173–174
hypertensive emergencies, 173–174
mild uncomplicated, 174
transient, 174
Hypokalemia, in defibrillation, 230
Hypomagnesemia, 230
Hypoparathyroidism, eye complications,, 107–108
Hypothermia, in defibrillation, 231
Hypothyroidism, eye complications, 107
Hysteria, and acute visual loss, 70

Immunology, in radiologic contrast-induced renal failure, 609
Inderal, 190
Infarction, acute myocardial, coronary artery bypass, 346
percutaneous transluminal coronary angioplasty, 342–343
Infections, adenoviral, 49–50
chlamydial, 48–49
female urinary tract. See *Urinary tract infection, female.*
herpes simplex, 50–51
herpes zoster, 51
in nephrolithiasis, 628
and ocular disorders, 101–103
orbital, 12–13
postseptal cellulitis, 13
preseptal cellulitis, 12–13
of permanent pacemakers, 212
in urinary retention, 433–434
Inflammation of lid, 95
Innervation, sensory, 754–760
cardiovascular response, 756–757
technique, 755–756
Instruments, for cricothyroidotomy, 734–735
Intervertebral disc, herniated, 426
Iridocyclitis, 28
Iridodonesis, 117
Iris bombe, 29
Iritis, acutely painful eye, 28–30, 116
Ischemia, myocardial. See *Chest discomfort and myocardial ischemia.*

Kidney, in hypertensive emergencies, 178–179
stones, prehospital emergencies, 380
trauma management, 580–585
associated injuries, 583
diagnostic imaging, 581–583
hematuria, 581
management, 584–585
mortality, 583–584
preexisting renal pathology, 584
ureter, and bladder (KUB), radiologic film, 554–555
in nephrolithiasis, 622

Labetalol (Normodyne, Trandate), 181–183
Laboratory tests, for chest discomfort and myocardial ischemia, 324–330
cardiac enzymes, 328–330
echocardiogram, 327–328
electrocardiogram, 324–327
in hypertensive emergencies, 175
Lacerations, corneal, 75, 81–82
Lacrimal apparatus, acutely painful eye, 34–35
Larynx, anatomy of, 659–667
Lasix, 189–190
Lead failures, of permanent pacemakers, 211–212
Lens, in ocular examination, 117–118
Leprosy, and ocular disorders, 102
Lethal midline granuloma, 99
Leukemia, eye complications, 104–105
Lid disorders, 95–96
in ocular examination, 113–114
Lidocaine, 295–296
Lipidosis, and ocular disorders, 100
Loniten, 188
Lorcainide, 300
Lupus erythematosus, systemic, eye complications, 97
Lymphogranuloma venereum, 505–506
Lymphoma/lymphosarcoma, malignant, and ocular disorders, 105

Maculopathies, acute visual loss, 64–67
degenerative, 65–66
hemorrhagic, 66–67
inflammatory, 64–65
Magnesium, antiarrhythmic effects, 308–309
Magnetic resonance imaging, 258
Males, acute scrotum, diagnosis of, 542–543
victims of sexual assault, 455–456, 462
Marchesani's syndrome, 100
Marfan's syndrome, 100
Meatal stenosis, and urinary retention, 424
Meatotomy, dorsal-slit procedure, 575
Metabolism, inborn errors of, eye complications, 99–100
Methanol, and acute visual loss, 68

Mexiletine, 297–298
Microcirculation, in radiologic contrast-induced renal failure, 608–609
Micturition, normal, 419–421
  anatomy, 419–420
  nerve supply, 420–421
  physiology, 421
Migraine headache, acutely painful eye, 39–40
  classic, 11
  cluster headache, 12
  ophthalmoplegic, 11–12
Minipress, 188–189
Minoxidil (Loniten), 188
Morbidity and mortality, asymptomatic bacteriuria in elderly, 470
Mouth, anatomy, 646–652
  in orotracheal intubation, 704–705
Multiple myeloma, and ocular disorders, 105
  radiologic contrast-induced renal failure, 606–607
Multiple sclerosis, and urinary retention, 426
Muscle relaxants, in children, 691–692
  and intubation, 758
Myocardial ischemia/infarction. See *Chest discomfort and myocardial ischemia.*
Myocardial salvage, angioplasty, percutaneous transluminal coronary, **341–345**
    acute myocardial infarction, 342–343
    cardiogenic shock, 344
    special indications, 344–345
    unstable angina, 343–344
  coronary artery bypass, **346–347**
    for acute myocardial infarction, 346
    thrombolysis, 346–347
  pharmacologic treatment, **361–372**
    beta-adrenergic blocking agents, 362–364
    calcium channel blocking agents, 366–367
    free radical scavengers, 369
    hyaluronidase, 367–368
    nitrates, 364–366
    steroids and anti-inflammatories, 368–369
  thrombolytic therapy, **351–359**
    administration routes, 354
    agents, 352–353
    complications, 355
    indications, 353–354
    prehospital and interhospital use, 355–358

Nadolol, 301
Nasotracheal intubation, **715–723**
  assessment, 716–717
  in children, 690–691
  contraindications, 715
  indications, 715–716
  technique, 717–721
    complications, 719
    equipment, 717
    positioning, 717–718
    procedure, 718–719
    surgical, 720–721
Neck, in orotracheal intubation, 702–704
Neisseria infections, 102–103
Nephrolithiasis, **617–630**
  complications, 626–629
    counseling, 629
    hospitalization, 628–629
    infection, 628
    obstruction, 626–628
    solitary kidney, 628
  diagnosis, history, 620–621
    laboratory tests, 621–622
    radiographic studies, 622–624
  pathogenesis, 617–620
    stone types, 618–620
  presentation, 620
  treatment, 624–625
    ancillary medications, 625–626
    hydration, 625
    pain relief, 624–625
    stone retrieval, 625
Nerves, in micturition, 420–421
Neuro-ophthalmologic emergencies, **1–20**
  anisocoria, 8–11
    Adie's tonic pupil, 10
    Horner's syndrome, 9
    pharmacologic blockade, 10
    simple, 9–10
    third nerve palsy, 10–11
  cavernous sinus syndromes, 16–17
  extraocular movement disorders, 17–18
    conjugate gaze palsy, 18
    cranial nerve palsy, 17–18
  history, 1–2
  migraine headache, classic, 11
    cluster headache, 12
    opthalmoplegic, 11–12
  nystagmus, 13–16
    acquired, 14–15
    congenital, 14
  optic disc abnormalities, 8
  orbital infections, 12–13
    postseptal cellulitis, 13
    preseptal cellulitis, 12–13
  physical examination, 2–4
  visual loss, chiasmal disease, 7
    postchiasmal disease, 7
    prechiasmal disease, 4–6
Neurogenic urinary retention, 425–427
  bladder nerve lesions, 426–427
    diabetes mellitus, 426
    herpes, 426–427

Neurogenic urinary retention *(Continued)*
lower motoneuron lesions, 425–426
herniated intervertebral disc, 426
multiple sclerosis, 426
nontraumatic spinal cord compression, 426
spinal trauma, 425–426
spinal tumors and metastases, 426
postoperative, 427
upper motoneuron lesions, 425
Neuropathy, optic, 5–6
Nifedipine (Procardia), 185–186
Nipride, 180–181
Nitrates, for myocardial salvage, 364–366
Nitroprusside, sodium (Nipride), 180–181
Nitrous oxide analgesia, **777–782**
clinical use and results, 779–780
continuing concerns, 780–781
history, 778
pharmacology, 778–779
Noninvasive technologies, **241–252**
conjunctival oxygen monitors, 244–245
end-tidal carbon monoxide, 246–248
in cardiopulmonary resuscitation, 247–248
esophageal intubation, 246–247
pulse oximetry, 245–246
transcutaneous oxygen and carbon monoxide monitors, 241–244
Normodyne, 181–183
Nose anatomy, 639–646
Nuclear scans, of urinary tract, 565–566
Nystagmus, acquired, 14–15
central, 15
positional, 15
vestibular, 14
congenital, 14
rare types of, 15–16

Ocular examination, **111–120**
anterior chamber, 116
conjunctiva, 114–115
cornea, 115–116
history, 111–112
intraocular pressure, 117
lens, 117–118
lids and adnexa, 113–114
physical examination, 112–113
pupils, 116–117
retina, 118–119
slit-lamp, 120
visual fields, 119–120
vitreous, 118
Ocular pemphigus, 99
Ophthalmia neonatorum, 48
Ophthalmologic emergencies, corneal injuries, **73–94**
neuro-ophthalmologic, **1–20**
ocular examination, **111–120**
painful eye, **21–42**
red eye, **43–56**
visual loss, acute, **57–72**
Optic disc, neuro-ophthalmologic visual loss, 8
Optic neuritis, acutely painful eye, 38–39
neuro-opthalmologic visual loss, 4–5
Orbital cellulitis, acutely painful eye, 31–33
postseptal infections, 13
Orchitis, 528
Orogenital sex injuries, 439–442
cunnilungus syndrome, 440
fellatio syndrome, 440
vaginal insufflation syndromes, 440–442
Orotracheal intubation, **699–713**
airway assessment, 701–702
cervical spine and neck evaluation, 702–704
mouth evaluation, 704–705
technique, 705–711
cardiovascular response, 710–711
complications, 709–710
confirmation, 708
equipment, 705
positioning, 705–706
variations, 708–709
Osteogenesis imperfecta, 100
Oximetry, pulse, 245–246
Oxygen, conjunctival monitors, 244–245
transcutaneous monitoring, 241–243

Pacemakers, cardiac, **197–215**
contraindications for, 199
epicardial, 206–207
indications for, 197–199
permanent, 208–212
implanted, malfunction of, 208
infections, 212
lead failures, 211–212
symptomatic patient, 209–210
types of, 208–209
transcutaneous, 199–203
transesophageal, 207
transthoracic, 205–206
transvenous, 203–205
Paddles, in defibrillation, 221–223
Pain, in nephrolithiasis, 624–625
scrotal, 483, 485
Pancuronium bromide, 761–762
Paraphimosis, dorsal-slit procedure, 574
emergency evaluation, 474
and urinary retention, 424
Paraproteinemias, 105
Parasympathetic stimulation, in defibrillation, 230
Paratesticular masses, 482
Patching, for corneal injuries, 92

Pelvic trauma, prehospital emergencies, 381
Penis, emergency conditions, 473–477
fracture, 476–477
paraphimosis, 474
Peyronie's disease, 475
phimosis/balanitis, 474
postoperative problems, 477
skin changes, 474–475
trauma, 475–476
fracture or amputation, 595–596
lesions, and urinary retention, 424
sexual injuries, 442–444
blunt injuries, 443–444
foreign bodies, 442–443
lacerations, 444
Periarteritis nodosa, eye complications, 98
Peritonitis, and acute scrotum, 539
Pertussis, and eye complications, 103
Peyronie's disease, 475
Pharmacologic aids to intubation, **753–768**
drugs, 754
local anesthesia of airway, 754
new relaxants, rapid sequent induction, 763–765
reversal, 763
nondepolarizing relaxants, 761–763
atracurium besylate, 762–763
pancuronium bromide, 761–762
D-tubocurarine, 761
vecuronium bromide, 762
preoxygenation, 753–754
sensory innervation, 754–760
cardiovascular response, 756–757
depolarizing agents, 759–760
muscle relaxants, 758
sedatives, 757–758
technique, 755–756
Pharmacologic blockade, 10
Pharmacologic urinary retention, 427–428
Pharmacology, of captopril, 189
of clonidine, 187
of diazoxide, 184
of furosemide, 189–190
of hydralazine, 187–188
of labetalol, 181–182
of myocardial salvage, **361–372**
of nifedipine, 185–186
of nitroprusside, sodium, 180–181
of phentolamine, 185
of prazosin, 188
of propranolol, 190
of trimethaphan, 184–185
Pharynx, anatomy of, 652–659
Phentolamine (Regitine), 185
Phenytoin, 296
Phimosis, dorsal-slit procedure, 573–574
emergency evaluation, 474
and urinary retention, 424
Physical examination, of chest discomfort and myocardial ischemia, 323–324
in hypertensive emergencies, 175
Pigment abnormalities, 96
Pirmenol, 294–295
Positioning, for nasotracheal intubation, 717–718
for orotracheal intubation, 705–706
Postchiasmal visual loss, 7
Prazosin (Minipress), 188–189
Preexcitation syndrome, 283–284
Pregnancy, hypertensive emergencies, 179–180
urinary tract infections, 408
Prehospital emergencies, **379–389**
case presentation, 379
genitalia, 385–388
pelvic trauma, 381
renal calculi (kidney stones), 380
urethra and bladder, nontraumatic conditions, 383–385
trauma to, 381–383
Premature ventricular contractions (PVCs), 279–280
Preoxygenation, 753–754
Pressure, intracranial, 681–682
intraocular, 117
Priapism, **509–520**
complications and prognosis, 518–519
etiology, 512–514
evaluation, 514–515
physiology and pathophysiology, 509–512
treatment, 516–518
Procainamide, 293
Procardia, 185–186
Propranolol (Inderal), 190, 300–301
Prostate, benign hypertrophy, and urinary retention, 422–423
Prostatitis, **391–402**
acute, 393–395
physical examination, 394
prostatic abscess, 395
treatment, 394–395
chronic, 395–400
bacterial, 396
nonbacterial, 396–397
prostatodynia, 399–400
recurrent, 398–399
treatment, 397–398
description, 391–392
etiology, 392
laboratory examination, 392–393
seminal vesiculitis, 400
subcategories, 391–392
and urinary retention, 423
Prostatodynia, 399–400
Protein, intratubular obstruction, 609
Protozoan infections, 103
Pseudoxanthoma elasticum, 100
Psychogenic urinary retention, 428–429
Psychological rape trauma syndrome, 453
Psychology, of child abuse, 458–459
of rapists, 452–453
Pulmonary edema, 174

Pulmonary embolism, **253–266**
clinical presentation, 253–255
risk factors, 253–254
signs and symptoms, 255
diagnostic tests, 255–258
arterial blood gas, 255–256
chest radiography, 256
digital subtraction angiography, 258
electrocardiogram, 256
magnetic resonance imaging, 258
pulmonary arteriography, 258
ventilation-perfusion scanning, 256–257
management of, 261–263
patient at risk, 261–262
thrombolytic treatment candidates, 263
V-Q scan, 262
treatment, 259–261
heparin, 259
surgical embolectomy, 259
thrombolytic therapy, 259–261
vena cava barriers, 259
Pulse oximetry, 245–246
Pupils, in ocular examination, 116–117
Pyelogram, intravenous, 555–558
in nephrolithiasis, 622–623
Pyelonephritis. See *Urinary tract infection, female.*

Quinidine, 291–292
Quinine, and acute visual loss, 68–69

Radiologic contrast-induced renal failure, **601–616**
contrast agents, 602
implicated procedures, 602–604
angiography, 603
cholecystography, 604
computerized tomography, 604
intravenous urography, 603
incidence, 601–602
management, 610–613
pathogenesis and pathophysiology, 607–610
clinical manifestations, 609–610
direct toxicity, 608
immunologic reactions, 609
intratubular obstruction by protein and crystals, 609
microcirculatory changes, 608–609
renal hemodynamics, 607–608
risk factors, 604–607
aging, 605
contrast dosage, 606
diabetes mellitus, 605
multiple myeloma, 606–607
preexisting renal disease, 604–605
volume depletion, 605–606
Radiology of urinary tract, 553–567
angiography, 563–564
computed tomography, 561–563
cystourethrography, 558–560
intravenous pyelogram, 555–558
kidney, ureter, and bladder (KUB), 554–555
nuclear scans, 565–566
percutaneous bladder catheterization, 571–572
suprapubic bladder aspiration, 572–573
ultrasonography, 564–565
Radionuclide imaging, of scrotum, 533–534
Rape injuries, adult, 450–456
male victims, 455–456
physical injuries, genital, 454–455
nongenital, 454
psychological rape trauma syndrome, 453
rapist psychology, 452–453
Rapid sequence induction, 763–765
Red eye. See *Eye, red.*
Refibrillation. See *Defibrillation.*
Regitine, 185
Relaxants, nondepolarizing, 761–763
See also *Muscle relaxants.*
Renal calculi, prehospital emergencies, 380
Renal retinopathy, 106
Respiratory acidosis, 229–230
Retina, detachment, acute visual loss, 59–61
neuro-opthalmologic visual loss, 4–6
in ocular examination, 118–119
See also *Arteries; Veins.*
Rheumatoid arthritis, eye complications, 98
Rhinoconjunctivitis, allergic, 52
Risk factors, for chest discomfort and myocardial ischemia, 320–321
for pulmonary embolism, 253–254
Rosacea, 96

Salicylates, and acute visual loss, 69–70
Sarcoid, eye complications, 99
Scleritis, 36–38
Scleroderma, eye complications, 98
Scrotal diseases, 477–485
acute pain, 483, 485, **521–546**
diagnostic approach, 540–543
adult males, 542–543
boys and adolescents, 541–542
initial evaluation, 540–541
edema, idiopathic, 537–538
epididymitis, 522–527
clinical course, 527
clinical presentation, 524–525
laboratory studies, 525
pathology, 522–524
treatment, 525–527
fat necrosis, 538
Fournier's gangrene, 539–540
Henoch-Schönlein purpura, 539

hernia, 538
orchitis, 528
peritonitis and intra-abdominal hemorrhage, 539
spermatic cord torsion, 529–536
clinical presentation, 532–533
Doppler ultrasound, 534–535
embryology and anatomy of scrotum, 529
epidemiology, 529–531
etiology, 531
laboratory studies, 533
other imaging modalities, 535
pathophysiology, 531–532
radionuclide imaging, 533–534
treatment, 535–536
spermatic vein thrombosis, 539
testicular appendage torsion, 536–537
testicular tumor, 538
cord contents, 481
gangrene (Fournier's), 478–480
hydrocele, 481
paratesticular masses, 482
soft tissue, 478
spermatocoele, 482
testicular torsion, 483–484
testicular trauma, 485
torted testicular appendage, 485
trauma, 481, 593
Sedatives, and intubation, 757–758
Sexually related trauma, **439–466**
adult rape injuries, 450–456
male victims, 455–456
physical injuries, 454–455
psychological rape trauma syndrome, 453
rapist psychology, 452–453
anorectal injuries, 446–450
mucosal lacerations, 449
perforations, 449–450
child abuse, 456–462
anatomy and technique, 456–458
boy victims, 462
injury types, 459–461
patterns of abuse, 459
psychological aspects, 458–459
orogenital sex injuries, 439–442
cunnilingus syndrome, 440
fellatio syndrome, 440
vaginal insufflation syndromes, 440–442
penile sexual injuries, 442–444
blunt injuries, 443–444
foreign body injuries, 442–443
lacerations, 444
vaginal injuries, 444–446
Side effects and contraindications, of captopril, 189
of clonidine, 187
of diazoxide, 184
of hydralazine, 188
of labetalol, 183
of nifedipine, 186
of nitroprusside, sodium, 181
of prazosin, 189
of propranolol, 190
of trimethaphan, 185
Sjogren's syndrome, eye complications, 98
Skin, penile, 474–475
Skin diseases, and ocular disorders, 95–96
Slit-lamp examination, 120
Solvents, corneal injuries, 83–84
Sotalol, 305–306
Spermatic cord torsion, 529–536
clinical presentation, 532–533
Doppler ultrasound, 534–535
embryology and anatomy of scrotum, 529
epidemiology, 529–531
etiology, 531
laboratory studies, 533
other imaging modalities, 535
pathophysiology, 531–532
radionuclide scrotal imaging, 533–534
treatment, 535–536
Spermatic vein thrombosis, 539
Spermatocoele, 482
Spinal cord, nontraumatic compression, 426
trauma, and urinary retention, 425–426
Steroids, for myocardial salvage, 368–369
Stone types, in nephrolithiasis, 618–620
Streptococcal infections, and ocular disorders, 102
Struvite stones, 619
Surgery, and nasotracheal intubation, 720–721
Synechiae, 29
Syphilis, 497–502
clinical features, 498–499
diagnosis, 499–501
epidemiology, 497–498
and ocular disorders, 103
pathogenesis and natural course, 498
treatment, 501–502

Tachyarrhythmias, mechanisms of, 268–270
Tachycardia, ectopic (nonparoxysmal) supraventricular, 279
multifocal atrial, 271–272
reentrant supraventricular, 276–278
ventricular, 280–281
wide QRS complex, 282–283
Temporal arteritis, acutely painful eye, 30–31
eye complications, 98
Testicular torsion, 483–484, 536–537
Testicular tumor, 538
Tetanus, and ocular disorders, 102
Thermal injuries to cornea, 90–91
Third nerve palsy, 10–11
Thoracic aortic dissection, 174
Thrombocytopenia, eye complications, 104

Thrombolytic therapy, **351–359**
administration routes, 354
agents, 352–353
complications of, 355
after coronary artery bypass, 346–347
indications for, 353–354
interhospital use, 356–358
prehospital use, 355–356
for pulmonary embolism, 259–261, 263
Thrombosis, cavernous sinus, 16, 33–34
Thump, precordial, 231–232
Thyroid ophthalmopathy, 106–107
Tocainide, 296–297
Tomography, computed, in radiologic contrast-induced renal failure, 604
of urinary tract, 561–563
Torsades de pointes, 281–282
Toxicity, of local anesthetics, 773–775
tubular, in radiologic contrast-induced renal failure, 608
Toxins, and acute visual loss, 67
and ocular disorders, 101
Trachea, anatomy of, 667
Tracheostomy, emergency, **737–744**
anatomy, 739
in children, 691
complications, 742–743
indications, 737–739
technique, 740–742
Trandate, 181–183
Trauma, airway management, 678–681
to anterior neck, 682–683
pelvic, 381
to penis, 475–476
to scrotum, 481
sexually related. See *Sexually related trauma*.
spinal cord, and urinary retention, 425–426
testicular, 485
to urethra and bladder, 381–383
urologic, **579–600**
emergency management, 579–580
genitoperineal, 593–596
lower urinary tract, 585–593
bladder, 588–590
urethra, 590–593
upper urinary tract, 580–585
kidney, 580–585
ureter, 585
Trigeminal neuralgia, 40
Trimethaphan camsylate (Arfonad), 184–185
Tuberculosis, and ocular disorders, 101–102
Tubocurarine, 761
Tularemia, and ocular disorders, 102
Tumors, and ocular disorders, 109
Tunica albugineal rupture, 593–595

Ultrasonography, of urinary tract, 564–565
Ultraviolet keratitis, 90
Ureter, trauma management, 585
Urethra, anatomy, and micturition, 420
catheterization, 567–571
complications, 571
indications and contraindications, 567
procedure, 567–570
prehospital emergencies, 381–385
stricture, and urinary retention, 423–424
trauma management, 590–593
Urethral syndrome, acute, 406
Urethritis, 487–494
gonococcal, 488–491
clinical features, 489–490
diagnosis, 490
epidemiology, 488–489
treatment, 490–491
nongonococcal, 491–494
complications, 493–494
diagnosis, 492–493
epidemiology, 491–492
therapy, 493
Uric acid stones, 619
Urinalysis, 547–553
urine collection, 547–548
Urinary retention, acute, **419–437**
assessment and recognition, 429–431
diagnostic aids, 431
emergency evaluation, 429
history, 429–430
physical examination, 430–431
complications, 433–434
autonomic hyperreflexia, 434
hemorrhage, 433
infection, 433–434
postobstructive diuresis, 434
disposition, 434–435
etiology, 422–424
bladder neck contracture, 423
in females, 424
meatal stenosis, 424
obstructive, 422–423
paraphimosis, 424
penile lesions, 424
phimosis, 424
posterior urethral valve, penile lesions, 424
phimosis, 424
posterior urethral valve, 424
prostatitis, 423
urethral stricture, 423–424
management, 431–433
Foley catheterization, 432
micturition, normal, 419–421
anatomy, 419–420
nerve supple and neurophysiology, 420–421
physiology, 421
neurogenic, 425–427
bladder lesions, motor and sensory nerves, 426–427
motoneuron lesions, lower, 425–426
upper, 425

postoperative, 427
pathophysiology, 421–422
pharmacologic, 427–428
psychogenic, 428–429
Urinary tract infection, female, **403–417**
classification, 405–407
acute urethral syndrome, 406
frequency of infection, 406–407
upper versus lower, 405
complications, 407
compromised hosts, 407–409
catheterized patients, 408–409
pregnancy, 408
etiology, 404–405
evaluation, 409–412
clinical presentation, 409
differential diagnosis, 412
examination, 410
history, 409
laboratory examination, 410–412
predisposing factors, 409–410
future trends, 414
pathogenesis, 404
treatment, 412–414
antimicrobial agents, 413–414
upper tract infections, 414
Urogenital diseases, sexually transmitted, **487–508**
chancroid, 503–504
condyloma acuminatum, 502–503
genital herpes, 494–497
lymphogranuloma venereum, 505–506
syphilis, 497–502
urethritis, 487–494
gonococcal, 488–491
nongonococcal, 491–494
Urography, intravenous, in radiologic contrast-induced renal failure, 603
Urology, diagnostic and therapeutic procedures, **547–578**
dorsal-slit procedure, 573–576
meatotomy, 575
paraphimosis, 574
phimosis, 573–574
percutaneous bladder catheterization, 571–572
radiologic procedures, 553–567
angiography, 563–564
computed tomography, 561–563
cystourethography, 558–560
intravenous pyelogram, 555–558
kidney, ureter, and bladder (KUB), 554–555
nuclear scans, 565–566
ultrasonography, 564–565
suprapubic bladder aspiration, 572–573
urethral catheterization, 567–571
complications, 570–571
contraindications, 567
indications, 567
procedure, 567–570
urinalysis, 547–553
analysis of urine, 548–553
urine collection, 547–548
Uveitis, posterior, 28

Vagina, insufflation syndromes, 440–442
sexual injuries, 444–446
Valves, posterior urethral, 424
Vecuronium bromide, 762
Veins, central retinal, occlusion of, acute visual loss, 61–63, 106
Vena cava barriers, 259
Ventilation, percutaneous transtracheal, **745–752**
apparatus, 747–748
complications and shortcomings, 750–751
indications, 748–750
Ventilation-perfusion scanning, 256–257
Ventricle, fibrillation, 218–219
left, failure of, 178
Verapamil, 307–308
Vernal conjunctivitis, 52–53
Vesiculitis, seminal, 400
Viral conjunctivitis. See *Conjunctivitis.*
Visual field examination, 119–120
Visual loss, acute, **57–72**
central retinal artery occlusion, 57–59
central retinal vein occlusion, 61–63
and ergot derivatives, 69
and hysteria, 70
maculopathies, degenerative, 65–66
hemorrhagic, 66–67
inflammatory, 64–65
methanol effects, 68
quinine effects, 68–69
retinal detachment, 59–61
and salicylates, 69–70
toxins, 67
vitreous hemorrhage, 63–64
neuro-ophthalmologic, chiasmal disease, 7
postchiasmal disease, 7
prechiasmal disease, 4–6
Vital signs, normal pediatric, 688
Vitamin deficiencies, and ocular disorders, 101
Vitreous, hemorrhage, acute visual loss, 63–64
in ocular examination, 118
Volume depletion, 605–606

Waveforms, in defibrillation, 223
Wegener's granulomatosis, 99
Wilson's disease, and ocular disorders, 100
Worm infections of eye, 103

Zipper entrapment of foreskin, 595